



National Results 2001

United States 2001

Resident Characteristics*	NATIONAL	LOCALE			
		Urban	Large Town	Small Town	Isolated
Nursing Home Residents	1,590,126	1,057,116	199,738	201,540	128,334
Percent of Nursing Home Residents	100.00	66.48	12.56	12.67	8.07
Percent Female	72.47	72.38	72.96	72.80	71.97
Age: <25	0.26	0.31	0.23	0.11	0.13
Age: 25-54	4.09	4.64	3.29	2.89	2.72
Age: 55-64	4.58	4.88	4.22	4.02	3.64
Age: 65-74	11.18	11.51	10.94	10.64	9.76
Age: 75-84	31.28	31.40	31.64	31.31	29.76
Age: 85-94	39.37	38.28	40.37	41.53	43.27
Age: 95+	9.23	8.97	9.30	9.50	10.73
American Indian/Alaskan Native	0.41	0.27	0.57	0.73	0.81
Asian/Pacific Islander	1.01	1.36	0.57	0.13	0.19
Black	11.41	13.57	8.10	7.59	4.94
Hispanic	2.83	3.65	1.68	1.22	0.46
White	84.34	81.15	89.09	90.34	93.59
Lived Alone	26.70	24.92	28.75	30.62	31.51
Lived with Others	56.84	58.31	54.91	54.01	52.67
Lived in Other Facility	16.46	16.77	16.34	15.37	15.82
Admitted from Private Home with No Services	16.10	14.14	17.50	20.45	22.68
Admitted from Private Home with Services	5.58	4.81	6.29	6.84	8.62
Admitted from Assisted Living	6.10	6.27	6.13	5.43	5.74
Admitted from Other Nursing Home	14.25	14.30	14.23	13.99	14.21
Admitted from Acute Care Hospital	51.69	54.11	50.24	47.02	42.08
Admitted from Other Setting	6.28	6.35	5.62	6.27	6.67
CPS: Intact or Borderline Intact	22.53	22.15	23.13	23.49	23.42
CPS: Mild to Moderately Severely Impaired	53.09	53.43	53.00	51.61	52.66
CPS: Severely or Very Severely Impaired	24.38	24.43	23.87	24.91	23.92
ADL: Independent or Needs Supervision	12.57	12.26	12.61	13.04	14.43
ADL: Limited Physical Assistance	13.54	13.31	14.10	13.82	14.07
ADL: Extensive Assistance in Early Loss ADLs	21.18	21.37	20.76	20.60	21.15
ADL: Extensive Assistance in Later Loss ADLs	11.89	11.35	12.83	12.71	13.51
ADL: Totally Dependent in Some ADLs	22.33	22.65	22.23	21.80	20.59
ADL: Totally Dependent in All Four ADLs	18.50	19.06	17.47	18.03	16.25



United States 2001 (continued)

	NATIONAL	LOCALE			
		Urban	Large Town	Small Town	Isolated
CHES: No Instability	33.83	35.81	29.94	30.02	29.56
CHES: Slightly Unstable	30.47	30.04	31.42	31.26	31.34
CHES: Mildly Unstable	20.00	19.19	21.80	21.54	21.54
CHES: Moderately Unstable	10.55	10.09	11.38	11.51	11.45
CHES: Highly Unstable	5.15	4.87	5.46	5.68	6.11
Total Case-Mix Index (average)	0.92	0.93	0.92	0.90	0.88
Nursing Case-Mix Index (average)	0.83	0.83	0.83	0.83	0.82
Quality Indicators					
Depression without Therapy	7.02	6.40	7.82	8.15	9.16
9+ Different Medications	47.54	46.14	49.95	50.40	50.81
Bladder/Bowel Incontinence without Plan	39.81	40.17	40.59	40.74	35.22
Indwelling Catheters	9.53	9.57	9.65	9.71	8.70
Tube Feeding	8.49	9.58	6.79	6.47	5.28
Antipsychotic Use without Conditions	18.41	18.52	18.37	18.55	17.27
Antianxiety/Hypnotic Use	17.32	16.48	18.98	19.44	18.26
Daily Physical Restraint	10.38	10.39	10.59	10.55	9.59
Falls	16.78	16.15	18.00	17.81	18.46
Behavioral Symptoms Affecting Others	21.79	21.01	22.43	23.37	24.73
Symptoms of Depression	14.64	13.57	15.93	16.49	18.55
Bladder/Bowel Incontinence	61.24	62.62	59.00	58.99	56.76
Fecal Impaction	0.25	0.23	0.30	0.31	0.27
Urinary Tract Infections	11.13	11.14	10.92	11.32	11.02
Weight Loss	16.90	16.95	17.10	17.12	15.88
Dehydration	1.07	1.04	1.08	1.15	1.13
Bedfast Residents	6.88	6.63	7.51	7.98	6.22
Little/No Activity	16.23	15.40	17.56	18.14	18.06
Stage 1-4 Pressure Ulcer	17.70	19.10	15.73	15.45	13.33

* All table entries after the first row are percentages. The second row provides row percentages. Other percentages are column percentages. For Quality Indicators, entries are the percent of residents with the problem in facilities within the specific geographic setting.

