



Arizona 2001

Resident Characteristics*	STATE	LOCALE			
		Urban	Large Town	Small Town	Isolated
Nursing Home Residents	11,751	9,474	1,556	635	**
Percent of Nursing Home Residents	100.00	80.62	13.24	5.40	
Percent Female	68.64	68.51	70.44	65.83	
Age: <25	0.28	0.30	0.19	0.31	
Age: 25-54	5.92	6.58	2.63	4.88	
Age: 55-64	5.41	5.67	4.05	5.51	
Age: 65-74	11.99	11.98	12.15	11.81	
Age: 75-84	30.61	30.35	33.10	28.50	
Age: 85-94	37.35	36.59	40.55	39.84	
Age: 95+	8.43	8.54	7.33	9.13	
American Indian/Alaskan Native	4.50	2.66	3.73	33.65	
Asian/Pacific Islander	0.67	0.79	0.13	0.32	
Black	3.43	3.98	1.48	0.16	
Hispanic	10.38	9.89	14.78	7.90	
White	81.02	82.68	79.88	57.98	
Lived Alone	18.82	19.68	13.70	20.69	
Lived with Others	68.63	67.18	78.14	58.62	
Lived in Other Facility	12.55	13.14	8.16	20.69	
Admitted from Private Home with No Services	13.06	12.87	12.56	24.14	
Admitted from Private Home with Services	2.94	2.81	3.75	2.30	
Admitted from Assisted Living	7.87	7.60	10.28	1.15	
Admitted from Other Nursing Home	20.29	21.83	11.58	21.84	
Admitted from Acute Care Hospital	50.92	49.64	58.40	47.13	
Admitted from Other Setting	4.93	5.24	3.43	3.45	
CPS: Intact or Borderline Intact	24.19	24.07	24.61	25.83	
CPS: Mild to Moderately Severely Impaired	49.76	49.30	51.54	49.45	
CPS: Severely or Very Severely Impaired	26.06	26.63	23.84	24.72	
ADL: Independent or Needs Supervision	14.23	13.75	16.84	15.59	
ADL: Limited Physical Assistance	16.10	16.22	17.35	11.34	
ADL: Extensive Assistance in Early Loss ADLs	24.60	24.84	21.92	27.72	
ADL: Extensive Assistance in Later Loss ADLs	10.72	10.82	10.99	8.66	
ADL: Totally Dependent in Some ADLs	20.71	20.53	20.95	21.42	
ADL: Totally Dependent in All Four ADLs	13.63	13.84	11.95	15.28	



Arizona 2001 (continued)

	STATE	LOCALE				Isolated
		Urban	Large Town	Small Town		
CHESS: No Instability	37.71	38.06	34.19	42.05	**	
CHESS: Slightly Unstable	30.42	30.82	29.76	25.98		
CHESS: Mildly Unstable	17.96	17.81	18.77	17.80		
CHESS: Moderately Unstable	9.23	8.95	10.60	9.92		
CHESS: Highly Unstable	4.68	4.36	6.68	4.25		
Total Case-Mix Index (average)	0.85	0.84	0.90	0.81		
Nursing Case-Mix Index (average)	0.79	0.79	0.82	0.78		
Quality Indicators						
Depression without Therapy	6.14	6.05	7.28	5.53		
9+ Different Medications	42.60	43.42	42.42	31.02		
Bladder/Bowel Incontinence without Plan	46.70	46.16	48.82	58.97		
Indwelling Catheters	10.19	10.03	10.54	12.28		
Tube Feeding	5.37	5.87	3.66	2.68		
Antipsychotic Use without Conditions	18.78	19.82	15.61	12.18		
Antianxiety/Hypnotic Use	16.29	15.72	20.58	13.71		
Daily Physical Restraint	12.59	12.71	11.44	13.70		
Falls	17.73	17.09	20.89	18.90		
Behavioral Symptoms Affecting Others	22.60	23.45	16.93	24.64		
Symptoms of Depression	13.01	12.94	14.68	10.58		
Bladder/Bowel Incontinence	63.39	64.45	57.76	60.00		
Fecal Impaction	0.23	0.18	0.51	0.31		
Urinary Tract Infections	11.72	11.85	11.95	9.76		
Weight Loss	15.05	14.63	16.13	17.80		
Dehydration	1.11	1.07	1.61	0.79		
Bedfast Residents	6.84	6.98	6.94	4.88		
Little/No Activity	16.90	16.08	21.89	18.45		
Stage 1-4 Pressure Ulcer	19.33	18.84	22.20	18.53		

* All table entries after the first row are percentages. The second row provides row percentages. Other percentages are column percentages. For Quality Indicators, entries are the percent of residents with the problem in facilities within the specific geographic setting.

** Too few residents for data to be displayed.

