



Connecticut 2001

Resident Characteristics*	STATE	LOCALE			
		Urban	Large Town	Small Town	Isolated
Nursing Home Residents	32,000	29,345	1,104	595	956
Percent of Nursing Home Residents	100.00	91.70	3.45	1.86	2.99
Percent Female	73.65	73.37	76.81	75.46	77.20
Age: <25	0.14	0.14	0.09	0.17	0.21
Age: 25-54	3.24	3.41	1.90	1.01	0.94
Age: 55-64	3.98	4.15	2.81	1.68	1.67
Age: 65-74	9.74	9.90	9.60	5.38	7.95
Age: 75-84	30.33	30.53	27.54	26.55	29.92
Age: 85-94	42.28	41.76	46.92	51.26	47.28
Age: 95+	10.28	10.11	11.14	13.95	12.03
American Indian/Alaskan Native	0.21	0.19	0.45	0.00	0.63
Asian/Pacific Islander	0.26	0.28	0.00	0.00	0.00
Black	5.93	6.41	0.36	0.50	0.94
Hispanic	2.22	2.37	1.27	0.00	0.21
White	91.38	90.74	97.92	99.50	98.22
Lived Alone	32.22	32.51	27.38	37.42	28.27
Lived with Others	51.90	51.55	62.97	50.77	49.20
Lived in Other Facility	15.87	15.95	9.65	11.82	22.52
Admitted from Private Home with No Services	13.32	13.66	8.60	13.79	10.77
Admitted from Private Home with Services	8.54	7.98	13.69	12.91	12.36
Admitted from Assisted Living	4.13	4.09	3.13	3.06	6.49
Admitted from Other Nursing Home	14.98	14.80	16.82	19.91	14.08
Admitted from Acute Care Hospital	54.33	54.76	54.63	43.33	51.77
Admitted from Other Setting	4.70	4.72	3.13	7.00	4.53
CPS: Intact or Borderline Intact	23.85	23.71	26.09	28.57	22.38
CPS: Mild to Moderately Severely Impaired	53.62	53.93	47.01	49.08	54.39
CPS: Severely or Very Severely Impaired	22.54	22.35	26.90	22.35	23.22
ADL: Independent or Needs Supervision	14.89	15.12	13.04	12.27	11.61
ADL: Limited Physical Assistance	13.59	13.42	15.31	18.82	13.60
ADL: Extensive Assistance in Early Loss ADLs	21.76	21.65	23.46	21.18	23.33
ADL: Extensive Assistance in Later Loss ADLs	9.10	8.93	9.06	10.76	13.28
ADL: Totally Dependent in Some ADLs	23.70	23.51	25.54	25.55	26.26
ADL: Totally Dependent in All Four ADLs	16.96	17.36	13.59	11.43	11.92



Connecticut 2001 (continued)

	STATE	LOCALE			
		Urban	Large Town	Small Town	Isolated
CHESS: No Instability	36.64	37.04	34.06	31.43	30.65
CHESS: Slightly Unstable	30.10	30.03	33.15	29.41	29.29
CHESS: Mildly Unstable	18.54	18.57	16.58	18.49	19.98
CHESS: Moderately Unstable	9.92	9.73	10.78	12.94	12.87
CHESS: Highly Unstable	4.79	4.63	5.43	7.73	7.22
Total Case-Mix Index (average)	0.88	0.88	0.88	0.85	0.96
Nursing Case-Mix Index (average)	0.80	0.80	0.81	0.80	0.83
Quality Indicators					
Depression without Therapy	6.53	6.44	6.44	6.58	9.10
9+ Different Medications	46.32	46.22	46.38	51.76	45.82
Bladder/Bowel Incontinence without Plan	35.68	36.85	33.77	11.84	26.26
Indwelling Catheters	6.92	6.93	7.34	8.24	5.13
Tube Feeding	4.97	5.21	2.90	2.02	1.78
Antipsychotic Use without Conditions	22.18	22.30	22.24	17.70	21.56
Antianxiety/Hypnotic Use	20.32	20.10	25.05	21.59	20.30
Daily Physical Restraint	13.39	13.43	14.95	6.72	14.33
Falls	16.07	15.96	16.76	17.48	17.68
Behavioral Symptoms Affecting Others	16.88	16.79	16.59	14.67	21.34
Symptoms of Depression	14.05	13.95	14.78	13.32	16.63
Bladder/Bowel Incontinence	57.25	57.06	57.55	52.89	65.22
Fecal Impaction	0.08	0.07	0.27	0.00	0.10
Urinary Tract Infections	9.39	9.39	8.51	8.91	10.98
Weight Loss	16.09	16.08	16.62	14.79	16.42
Dehydration	1.39	1.34	2.45	1.18	1.88
Bedfast Residents	3.74	3.77	2.26	2.86	5.02
Little/No Activity	12.39	12.70	8.34	9.11	9.41
Stage 1-4 Pressure Ulcer	15.80	15.82	16.34	12.12	17.69

* All table entries after the first row are percentages. The second row provides row percentages. Other percentages are column percentages. For Quality Indicators, entries are the percent of residents with the problem in facilities within the specific geographic setting.

