



Idaho 2001

Resident Characteristics*	STATE	LOCALE			
		Urban	Large Town	Small Town	Isolated
Nursing Home Residents	5,056	1,832	1,969	911	344
Percent of Nursing Home Residents	100.00	36.23	38.94	18.02	6.80
Percent Female	68.04	64.36	68.92	71.35	73.84
Age: <25	0.10	0.16	0.05	0.11	0.00
Age: 25-54	3.58	4.80	2.54	3.29	3.78
Age: 55-64	4.63	5.29	4.27	4.50	3.49
Age: 65-74	10.09	10.64	9.65	9.44	11.34
Age: 75-84	32.34	32.97	34.08	29.42	26.74
Age: 85-94	40.63	38.21	41.14	42.48	45.64
Age: 95+	8.64	7.91	8.28	10.76	9.01
American Indian/Alaskan Native	0.69	0.82	0.46	0.99	0.58
Asian/Pacific Islander	0.26	0.49	0.15	0.00	0.29
Black	0.24	0.27	0.20	0.33	0.00
Hispanic	1.07	1.15	1.22	0.88	0.29
White	97.75	97.27	97.97	97.80	98.84
Lived Alone	22.72	21.80	14.00	30.77	23.93
Lived with Others	56.11	66.35	56.67	47.34	49.57
Lived in Other Facility	21.17	11.85	29.33	21.89	26.50
Admitted from Private Home with No Services	10.36	12.80	4.00	7.69	17.95
Admitted from Private Home with Services	3.09	4.27	2.00	2.37	3.42
Admitted from Assisted Living	10.20	9.48	12.00	5.92	15.38
Admitted from Other Nursing Home	13.76	9.95	12.00	19.53	14.53
Admitted from Acute Care Hospital	52.70	51.18	62.00	59.17	34.19
Admitted from Other Setting	9.89	12.32	8.00	5.33	14.53
CPS: Intact or Borderline Intact	16.77	16.16	16.25	16.58	23.55
CPS: Mild to Moderately Severely Impaired	57.93	56.71	61.86	56.09	46.80
CPS: Severely or Very Severely Impaired	25.30	27.13	21.89	27.33	29.65
ADL: Independent or Needs Supervision	10.01	9.66	9.80	11.20	9.88
ADL: Limited Physical Assistance	15.11	13.32	14.98	19.65	13.37
ADL: Extensive Assistance in Early Loss ADLs	22.29	24.73	22.14	18.99	18.90
ADL: Extensive Assistance in Later Loss ADLs	19.24	20.69	18.64	18.00	18.31
ADL: Totally Dependent in Some ADLs	21.02	20.58	21.18	20.75	23.26
ADL: Totally Dependent in All Four ADLs	12.32	11.03	13.26	11.42	16.28



Idaho 2001 (continued)

	STATE	LOCALE			
		Urban	Large Town	Small Town	Isolated
CHESS: No Instability	19.13	19.05	20.57	16.36	18.60
CHESS: Slightly Unstable	31.47	32.10	30.68	30.30	35.76
CHESS: Mildly Unstable	25.24	27.24	23.26	25.36	25.58
CHESS: Moderately Unstable	15.66	13.92	17.17	17.01	12.79
CHESS: Highly Unstable	8.50	7.70	8.33	10.98	7.27
Total Case-Mix Index (average)	0.93	0.92	0.95	0.94	0.92
Nursing Case-Mix Index (average)	0.84	0.83	0.84	0.86	0.85
Quality Indicators					
Depression without Therapy	10.62	8.99	11.86	11.58	9.65
9+ Different Medications	51.01	49.62	51.09	52.91	52.91
Bladder/Bowel Incontinence without Plan	18.87	22.27	16.62	19.53	14.04
Indwelling Catheters	8.90	9.28	8.13	10.32	7.56
Tube Feeding	3.62	3.66	3.71	3.29	3.78
Antipsychotic Use without Conditions	16.07	15.76	17.87	14.56	11.51
Antianxiety/Hypnotic Use	15.25	15.17	14.33	18.46	12.17
Daily Physical Restraint	7.52	7.86	7.36	6.59	9.01
Falls	19.01	17.70	20.92	19.76	13.08
Behavioral Symptoms Affecting Others	24.89	22.14	26.26	27.34	25.15
Symptoms of Depression	25.62	21.97	27.74	29.88	21.64
Bladder/Bowel Incontinence	63.61	62.87	64.86	62.73	62.62
Fecal Impaction	0.14	0.00	0.25	0.22	0.00
Urinary Tract Infections	11.59	11.08	12.04	11.98	10.79
Weight Loss	17.45	15.95	17.78	18.77	20.06
Dehydration	1.09	0.38	0.91	2.85	1.16
Bedfast Residents	4.39	4.91	3.76	4.94	3.78
Little/No Activity	13.73	13.04	14.76	15.33	7.31
Stage 1-4 Pressure Ulcer	11.70	13.85	11.01	9.54	10.48

* All table entries after the first row are percentages. The second row provides row percentages. Other percentages are column percentages. For Quality Indicators, entries are the percent of residents with the problem in facilities within the specific geographic setting.

