



# Iowa 2001

Resident Characteristics*	STATE	LOCALE			
		Urban	Large Town	Small Town	Isolated
Nursing Home Residents	33,003	9,516	4,626	9,693	9,077
Percent of Nursing Home Residents	100.00	28.83	14.02	29.37	27.50
Percent Female	73.76	74.76	70.50	74.32	73.59
Age: <25	0.18	0.46	0.04	0.10	0.02
Age: 25-54	2.26	3.34	2.92	1.61	1.50
Age: 55-64	2.64	3.48	3.13	1.92	2.29
Age: 65-74	8.05	9.52	9.86	6.71	7.02
Age: 75-84	27.91	29.22	29.12	27.48	26.41
Age: 85-94	45.76	42.23	42.41	48.10	48.72
Age: 95+	13.21	11.74	12.52	14.08	14.05
American Indian/Alaskan Native	0.15	0.20	0.24	0.09	0.13
Asian/Pacific Islander	0.15	0.21	0.13	0.13	0.12
Black	0.84	2.23	0.80	0.13	0.14
Hispanic	0.28	0.44	0.37	0.10	0.23
White	98.58	96.92	98.47	99.54	99.37
Lived Alone	41.72	34.99	40.54	45.70	44.60
Lived with Others	41.29	46.98	39.55	38.49	40.08
Lived in Other Facility	16.98	18.02	19.90	15.81	15.33
Admitted from Private Home with No Services	24.77	20.24	25.61	25.61	27.41
Admitted from Private Home with Services	11.50	9.98	10.36	12.00	13.06
Admitted from Assisted Living	6.24	10.34	5.22	4.88	4.59
Admitted from Other Nursing Home	14.70	15.85	17.20	12.52	14.13
Admitted from Acute Care Hospital	36.92	39.95	34.13	37.23	35.76
Admitted from Other Setting	5.88	3.64	7.47	7.75	5.06
CPS: Intact or Borderline Intact	22.86	20.46	21.79	23.65	25.23
CPS: Mild to Moderately Severely Impaired	56.69	57.01	57.37	56.26	56.30
CPS: Severely or Very Severely Impaired	20.45	22.53	20.84	20.10	18.48
ADL: Independent or Needs Supervision	16.75	15.36	16.90	16.64	18.32
ADL: Limited Physical Assistance	16.38	15.27	18.63	16.57	16.16
ADL: Extensive Assistance in Early Loss ADLs	23.16	25.00	24.47	21.73	22.14
ADL: Extensive Assistance in Later Loss ADLs	15.78	15.17	14.74	17.04	15.64
ADL: Totally Dependent in Some ADLs	18.25	18.86	16.10	18.50	18.33
ADL: Totally Dependent in All Four ADLs	9.68	10.33	9.14	9.52	9.40



## Iowa 2001 (continued)

	STATE	LOCALE			
		Urban	Large Town	Small Town	Isolated
CHES: No Instability	26.97	26.42	31.58	24.43	28.09
CHES: Slightly Unstable	32.75	33.39	33.12	32.70	31.86
CHES: Mildly Unstable	21.61	21.61	19.71	22.98	21.11
CHES: Moderately Unstable	11.94	12.27	9.90	12.36	12.14
CHES: Highly Unstable	6.73	6.31	5.69	7.53	6.80
Total Case-Mix Index (average)	0.81	0.84	0.77	0.81	0.82
Nursing Case-Mix Index (average)	0.77	0.78	0.74	0.77	0.77
<b>Quality Indicators</b>					
Depression without Therapy	8.80	9.32	6.84	9.34	8.62
9+ Different Medications	45.17	43.69	45.09	47.33	44.49
Bladder/Bowel Incontinence without Plan	21.25	20.94	20.78	23.17	19.68
Indwelling Catheters	7.27	9.03	6.38	6.91	6.28
Tube Feeding	2.29	4.05	1.66	1.54	1.60
Antipsychotic Use without Conditions	14.89	16.07	16.04	14.03	14.06
Antianxiety/Hypnotic Use	16.08	17.84	15.06	16.28	14.50
Daily Physical Restraint	3.41	4.63	3.83	2.84	2.54
Falls	20.47	21.37	20.23	20.20	19.97
Behavioral Symptoms Affecting Others	22.76	25.17	21.28	22.36	21.48
Symptoms of Depression	18.23	18.56	14.71	19.37	18.43
Bladder/Bowel Incontinence	52.18	53.67	48.51	53.60	50.86
Fecal Impaction	0.16	0.17	0.17	0.18	0.13
Urinary Tract Infections	10.16	10.80	8.93	10.29	10.00
Weight Loss	13.06	14.16	11.95	12.96	12.58
Dehydration	0.56	0.58	0.28	0.74	0.47
Bedfast Residents	2.13	2.68	1.73	2.03	1.85
Little/No Activity	14.98	15.54	11.79	16.42	14.11
Stage 1-4 Pressure Ulcer	10.48	13.20	9.18	10.16	8.73

\* All table entries after the first row are percentages. The second row provides row percentages. Other percentages are column percentages. For Quality Indicators, entries are the percent of residents with the problem in facilities within the specific geographic setting.

