



Maryland 2001

Resident Characteristics*	STATE	LOCALE			
		Urban	Large Town	Small Town	Isolated
Nursing Home Residents	26,247	22,695	1,482	1,078	869
Percent of Nursing Home Residents	100.00	86.47	5.65	4.11	3.31
Percent Female	72.24	72.34	68.76	74.58	72.96
Age: <25	0.28	0.29	0.13	0.00	0.69
Age: 25-54	4.41	4.57	4.72	1.95	3.11
Age: 55-64	4.72	4.83	5.26	3.06	3.11
Age: 65-74	12.32	12.16	16.06	11.87	10.93
Age: 75-84	33.41	33.28	36.77	33.58	31.65
Age: 85-94	36.53	36.55	30.57	40.35	41.20
Age: 95+	8.33	8.33	6.48	9.18	9.32
American Indian/Alaskan Native	0.18	0.19	0.13	0.00	0.00
Asian/Pacific Islander	0.81	0.91	0.07	0.09	0.12
Black	25.85	26.17	33.20	19.87	14.50
Hispanic	0.50	0.55	0.13	0.00	0.12
White	72.66	72.18	66.46	80.04	85.27
Lived Alone	24.45	24.07	23.65	37.50	26.03
Lived with Others	62.85	62.90	72.97	57.64	53.42
Lived in Other Facility	12.71	13.03	3.38	4.86	20.55
Admitted from Private Home with No Services	14.41	14.02	12.50	27.78	17.81
Admitted from Private Home with Services	3.88	3.86	1.69	3.47	8.22
Admitted from Assisted Living	6.76	6.80	3.72	6.60	9.13
Admitted from Other Nursing Home	11.39	11.65	8.45	8.68	6.85
Admitted from Acute Care Hospital	57.09	57.37	65.54	45.49	47.49
Admitted from Other Setting	6.47	6.30	8.11	7.99	10.50
CPS: Intact or Borderline Intact	22.30	22.25	26.38	23.47	15.88
CPS: Mild to Moderately Severely Impaired	48.59	48.42	45.21	50.56	55.81
CPS: Severely or Very Severely Impaired	29.12	29.33	28.41	25.97	28.31
ADL: Independent or Needs Supervision	7.10	6.97	6.41	9.74	8.06
ADL: Limited Physical Assistance	10.23	10.07	11.94	10.02	10.24
ADL: Extensive Assistance in Early Loss ADLs	19.75	19.78	20.11	17.72	21.29
ADL: Extensive Assistance in Later Loss ADLs	10.93	10.50	14.57	10.02	15.54
ADL: Totally Dependent in Some ADLs	26.62	26.63	24.36	30.89	26.47
ADL: Totally Dependent in All Four ADLs	25.37	26.05	22.60	21.61	18.41



Maryland 2001 (continued)

	STATE	LOCALE			
		Urban	Large Town	Small Town	Isolated
CHESS: No Instability	38.04	39.12	35.95	29.04	26.93
CHESS: Slightly Unstable	28.74	28.51	31.08	29.31	29.69
CHESS: Mildly Unstable	18.78	18.49	19.12	20.96	21.40
CHESS: Moderately Unstable	9.84	9.55	10.47	12.24	12.89
CHESS: Highly Unstable	4.60	4.33	3.38	8.44	9.09
Total Case-Mix Index (average)	0.92	0.92	1.01	0.87	0.92
Nursing Case-Mix Index (average)	0.85	0.85	0.87	0.82	0.87
Quality Indicators					
Depression without Therapy	6.12	5.89	6.02	8.50	9.92
9+ Different Medications	46.48	46.17	47.98	44.16	55.01
Bladder/Bowel Incontinence without Plan	42.77	42.68	54.06	44.19	33.06
Indwelling Catheters	8.10	8.09	8.57	8.53	7.25
Tube Feeding	11.54	12.08	11.94	4.45	6.21
Antipsychotic Use without Conditions	19.68	19.53	20.32	22.19	19.18
Antianxiety/Hypnotic Use	14.25	13.43	19.66	18.44	20.59
Daily Physical Restraint	9.43	9.24	7.89	11.69	14.15
Falls	15.27	14.74	18.08	16.14	21.98
Behavioral Symptoms Affecting Others	16.94	16.62	19.02	16.43	23.30
Symptoms of Depression	12.46	12.12	12.38	14.94	18.45
Bladder/Bowel Incontinence	69.07	69.37	67.37	68.51	65.12
Fecal Impaction	0.25	0.26	0.13	0.28	0.35
Urinary Tract Infections	11.80	11.96	9.85	9.93	13.46
Weight Loss	19.17	19.07	15.37	23.58	20.85
Dehydration	1.09	1.10	1.42	0.83	0.69
Bedfast Residents	7.21	7.14	9.38	7.70	5.52
Little/No Activity	14.11	14.17	14.23	15.13	10.84
Stage 1-4 Pressure Ulcer	20.77	20.93	19.83	20.70	17.99

* All table entries after the first row are percentages. The second row provides row percentages. Other percentages are column percentages. For Quality Indicators, entries are the percent of residents with the problem in facilities within the specific geographic setting.

