



Missouri 2001

Resident Characteristics*	STATE	LOCALE			
		Urban	Large Town	Small Town	Isolated
Nursing Home Residents	39,394	20,795	5,173	6,889	6,514
Percent of Nursing Home Residents	100.00	52.79	13.13	17.49	16.54
Percent Female	73.75	74.76	70.67	73.66	73.01
Age: <25	0.19	0.20	0.39	0.09	0.08
Age: 25-54	3.90	4.02	5.16	3.57	2.87
Age: 55-64	4.60	4.71	5.28	4.06	4.25
Age: 65-74	11.22	11.27	11.60	10.71	11.30
Age: 75-84	30.22	31.19	29.13	29.16	29.17
Age: 85-94	40.16	38.89	38.89	43.11	41.96
Age: 95+	9.72	9.70	9.55	9.29	10.38
American Indian/Alaskan Native	0.23	0.22	0.14	0.33	0.21
Asian/Pacific Islander	0.14	0.21	0.12	0.04	0.05
Black	9.00	14.62	4.91	2.42	1.27
Hispanic	0.31	0.49	0.15	0.10	0.11
White	90.31	84.46	94.68	97.10	98.36
Lived Alone	28.19	26.14	28.24	31.91	31.99
Lived with Others	51.97	53.15	47.45	50.12	52.94
Lived in Other Facility	19.84	20.71	24.31	17.97	15.07
Admitted from Private Home with No Services	18.94	17.11	17.49	21.46	24.39
Admitted from Private Home with Services	6.24	5.08	7.38	7.15	8.70
Admitted from Assisted Living	7.22	7.24	7.82	7.59	6.41
Admitted from Other Nursing Home	17.76	18.93	19.59	15.41	14.30
Admitted from Acute Care Hospital	43.47	45.38	40.41	41.23	40.91
Admitted from Other Setting	6.36	6.26	7.32	7.15	5.29
CPS: Intact or Borderline Intact	25.54	25.14	24.59	27.64	25.36
CPS: Mild to Moderately Severely Impaired	50.08	51.00	49.68	47.50	50.15
CPS: Severely or Very Severely Impaired	24.38	23.86	25.73	24.87	24.49
ADL: Independent or Needs Supervision	17.98	16.91	18.27	19.69	19.42
ADL: Limited Physical Assistance	18.08	18.15	17.24	18.09	18.51
ADL: Extensive Assistance in Early Loss ADLs	19.72	20.68	19.10	18.74	18.22
ADL: Extensive Assistance in Later Loss ADLs	11.35	10.97	11.21	12.12	11.84
ADL: Totally Dependent in Some ADLs	18.93	19.23	20.47	17.51	18.24
ADL: Totally Dependent in All Four ADLs	13.93	14.06	13.71	13.85	13.77



Missouri 2001 (continued)

	STATE	LOCALE			
		Urban	Large Town	Small Town	Isolated
CHESS: No Instability	32.17	34.28	31.73	29.25	28.92
CHESS: Slightly Unstable	30.47	29.16	32.60	30.98	32.28
CHESS: Mildly Unstable	20.50	19.85	19.99	21.83	21.63
CHESS: Moderately Unstable	10.73	10.72	9.86	11.27	10.85
CHESS: Highly Unstable	6.13	5.98	5.82	6.67	6.31
Total Case-Mix Index (average)	0.85	0.86	0.84	0.85	0.86
Nursing Case-Mix Index (average)	0.78	0.77	0.78	0.78	0.79
Quality Indicators					
Depression without Therapy	6.58	5.60	6.99	7.24	8.58
9+ Different Medications	47.93	45.57	51.59	48.93	51.46
Bladder/Bowel Incontinence without Plan	28.33	28.65	28.29	27.13	28.54
Indwelling Catheters	8.51	8.66	8.33	7.66	9.06
Tube Feeding	5.45	6.29	5.72	4.25	3.81
Antipsychotic Use without Conditions	19.25	19.48	20.66	19.51	17.21
Antianxiety/Hypnotic Use	17.31	15.63	19.09	18.73	19.72
Daily Physical Restraint	9.29	9.45	7.04	8.72	11.16
Falls	18.58	18.98	18.67	18.29	17.58
Behavioral Symptoms Affecting Others	22.55	20.06	26.50	24.94	24.78
Symptoms of Depression	15.15	13.69	15.82	16.40	17.90
Bladder/Bowel Incontinence	52.71	55.13	50.24	49.95	49.91
Fecal Impaction	0.29	0.25	0.52	0.29	0.26
Urinary Tract Infections	10.50	10.57	10.75	9.96	10.64
Weight Loss	16.14	16.66	16.25	15.36	15.30
Dehydration	1.12	0.98	1.22	1.31	1.27
Bedfast Residents	4.66	4.90	4.23	4.74	4.14
Little/No Activity	20.68	20.49	22.45	20.72	19.76
Stage 1-4 Pressure Ulcer	16.07	17.93	15.42	14.88	12.64

* All table entries after the first row are percentages. The second row provides row percentages. Other percentages are column percentages. For Quality Indicators, entries are the percent of residents with the problem in facilities within the specific geographic setting.

