



# New Mexico 2001

Resident Characteristics*	STATE	LOCALE			
		Urban	Large Town	Small Town	Isolated
Nursing Home Residents	5,697	2,472	2,326	693	206
Percent of Nursing Home Residents	100.00	43.39	40.83	12.16	3.62
Percent Female	68.55	70.07	69.43	59.74	69.90
Age: <25	0.23	0.28	0.21	0.14	0.00
Age: 25-54	3.91	4.05	4.13	3.32	1.94
Age: 55-64	4.56	4.57	4.99	3.46	3.40
Age: 65-74	11.94	10.48	12.90	13.56	13.11
Age: 75-84	30.26	32.24	28.03	33.62	20.39
Age: 85-94	40.09	40.29	40.11	35.79	51.94
Age: 95+	9.00	8.09	9.63	10.10	9.22
American Indian/Alaskan Native	7.29	1.99	12.28	4.91	22.33
Asian/Pacific Islander	0.60	0.49	0.95	0.00	0.00
Black	2.08	2.52	2.16	0.87	0.00
Hispanic	26.14	30.51	19.66	34.78	17.96
White	63.89	64.48	64.96	59.45	59.71
Lived Alone	16.19	20.59	5.00	17.77	50.00
Lived with Others	70.70	68.87	68.50	77.16	50.00
Lived in Other Facility	13.10	10.54	26.50	5.08	0.00
Admitted from Private Home with No Services	26.29	29.06	10.00	36.04	75.00
Admitted from Private Home with Services	3.44	4.12	2.00	3.05	25.00
Admitted from Assisted Living	5.65	6.54	5.00	4.57	0.00
Admitted from Other Nursing Home	12.04	9.69	15.50	13.71	0.00
Admitted from Acute Care Hospital	39.07	44.31	33.50	34.52	0.00
Admitted from Other Setting	13.51	6.30	34.00	8.12	0.00
CPS: Intact or Borderline Intact	25.14	25.85	21.50	31.46	36.41
CPS: Mild to Moderately Severely Impaired	49.01	48.91	50.21	46.46	45.15
CPS: Severely or Very Severely Impaired	25.86	25.24	28.29	22.08	18.45
ADL: Independent or Needs Supervision	18.24	18.00	15.86	25.11	24.76
ADL: Limited Physical Assistance	18.29	16.95	18.92	19.05	24.76
ADL: Extensive Assistance in Early Loss ADLs	23.13	25.04	22.06	22.51	14.56
ADL: Extensive Assistance in Later Loss ADLs	9.85	9.26	11.74	6.06	8.25
ADL: Totally Dependent in Some ADLs	17.45	17.96	17.88	14.57	16.02
ADL: Totally Dependent in All Four ADLs	13.04	12.78	13.54	12.70	11.65



## New Mexico 2001 (continued)

	STATE	LOCALE			
		Urban	Large Town	Small Town	Isolated
CHESS: No Instability	39.83	41.06	37.66	41.13	45.15
CHESS: Slightly Unstable	29.40	28.64	30.18	30.74	25.24
CHESS: Mildly Unstable	17.22	16.99	17.84	16.45	15.53
CHESS: Moderately Unstable	8.99	8.45	9.63	8.80	8.74
CHESS: Highly Unstable	4.56	4.85	4.69	2.89	5.34
Total Case-Mix Index (average)	0.80	0.81	0.81	0.76	0.79
Nursing Case-Mix Index (average)	0.76	0.75	0.77	0.73	0.78
<b>Quality Indicators</b>					
Depression without Therapy	6.19	6.57	6.18	5.07	5.37
9+ Different Medications	35.35	35.52	35.51	32.32	41.75
Bladder/Bowel Incontinence without Plan	40.34	36.97	44.92	41.11	30.43
Indwelling Catheters	8.00	6.96	10.06	5.05	7.28
Tube Feeding	3.67	3.03	4.43	3.03	4.85
Antipsychotic Use without Conditions	17.29	18.76	16.58	16.67	9.52
Antianxiety/Hypnotic Use	14.61	12.98	16.43	15.17	12.70
Daily Physical Restraint	8.74	8.25	9.59	9.67	1.94
Falls	18.57	18.08	20.51	15.01	14.56
Behavioral Symptoms Affecting Others	21.03	21.96	21.26	17.22	20.00
Symptoms of Depression	11.97	13.11	10.80	11.58	12.68
Bladder/Bowel Incontinence	55.91	55.21	59.34	49.92	47.25
Fecal Impaction	0.32	0.08	0.52	0.58	0.00
Urinary Tract Infections	8.65	9.06	8.81	5.77	11.65
Weight Loss	15.48	14.74	15.91	16.74	15.05
Dehydration	1.04	0.89	1.12	1.44	0.49
Bedfast Residents	3.86	3.84	4.08	3.03	4.37
Little/No Activity	18.45	16.96	20.61	15.48	21.95
Stage 1-4 Pressure Ulcer	12.39	12.01	12.99	12.20	10.58

\* All table entries after the first row are percentages. The second row provides row percentages. Other percentages are column percentages. For Quality Indicators, entries are the percent of residents with the problem in facilities within the specific geographic setting.

