



New York 2001

Resident Characteristics*	STATE	LOCALE			
		Urban	Large Town	Small Town	Isolated
Nursing Home Residents	114,019	95,785	8,262	7,545	2,427
Percent of Nursing Home Residents	100.00	84.01	7.25	6.62	2.13
Percent Female	71.75	71.43	74.76	71.72	74.25
Age: <25	0.41	0.47	0.15	0.01	0.21
Age: 25-54	4.18	4.33	4.58	2.21	2.88
Age: 55-64	4.85	5.08	3.87	3.35	3.71
Age: 65-74	11.12	11.59	8.21	9.01	9.35
Age: 75-84	29.88	29.63	31.14	31.81	29.71
Age: 85-94	39.40	38.87	40.97	43.45	42.52
Age: 95+	10.15	10.03	11.09	10.15	11.62
American Indian/Alaskan Native	0.34	0.21	0.25	2.15	0.21
Asian/Pacific Islander	1.32	1.56	0.10	0.13	0.04
Black	14.02	16.34	1.67	2.17	1.69
Hispanic	5.19	6.08	0.48	0.64	0.29
White	79.13	75.82	97.49	94.91	97.78
Lived Alone	31.05	31.84	28.80	26.62	21.94
Lived with Others	54.51	54.12	57.56	53.28	61.68
Lived in Other Facility	14.43	14.03	13.64	20.10	16.39
Admitted from Private Home with No Services	9.95	9.60	9.54	13.94	13.29
Admitted from Private Home with Services	4.98	4.54	7.61	6.06	8.77
Admitted from Assisted Living	4.44	3.85	6.28	8.66	7.74
Admitted from Other Nursing Home	9.13	8.96	10.47	7.76	14.45
Admitted from Acute Care Hospital	68.04	69.73	61.45	60.19	50.71
Admitted from Other Setting	3.47	3.32	4.66	3.38	5.03
CPS: Intact or Borderline Intact	24.33	24.18	26.81	22.86	26.33
CPS: Mild to Moderately Severely Impaired	52.00	52.24	50.76	51.01	49.90
CPS: Severely or Very Severely Impaired	23.67	23.58	22.43	26.12	23.77
ADL: Independent or Needs Supervision	10.53	10.92	9.27	7.75	8.03
ADL: Limited Physical Assistance	12.15	12.06	12.39	12.43	13.84
ADL: Extensive Assistance in Early Loss ADLs	20.65	20.53	20.33	22.12	21.80
ADL: Extensive Assistance in Later Loss ADLs	9.25	9.05	10.43	10.07	10.22
ADL: Totally Dependent in Some ADLs	25.58	25.08	29.33	27.55	26.33
ADL: Totally Dependent in All Four ADLs	21.85	22.35	18.24	20.07	19.78



New York 2001 (continued)

	STATE	LOCALE			
		Urban	Large Town	Small Town	Isolated
CHES: No Instability	42.71	44.82	31.34	31.35	33.35
CHES: Slightly Unstable	31.20	30.74	34.12	33.21	32.81
CHES: Mildly Unstable	16.07	15.30	19.86	20.45	20.03
CHES: Moderately Unstable	7.03	6.56	9.61	9.61	8.86
CHES: Highly Unstable	2.99	2.57	5.06	5.38	4.95
Total Case-Mix Index (average)	0.88	0.88	0.85	0.87	0.90
Nursing Case-Mix Index (average)	0.82	0.82	0.82	0.82	0.85
Quality Indicators					
Depression without Therapy	3.64	3.29	4.67	6.00	6.46
9+ Different Medications	36.27	34.75	45.70	42.12	46.07
Bladder/Bowel Incontinence without Plan	34.48	33.14	41.17	39.31	34.33
Indwelling Catheters	6.30	5.94	8.48	7.57	9.48
Tube Feeding	9.99	10.88	5.18	4.97	6.84
Antipsychotic Use without Conditions	18.54	18.39	18.45	20.21	19.18
Antianxiety/Hypnotic Use	10.47	9.91	14.24	12.24	13.50
Daily Physical Restraint	8.89	8.54	9.84	11.08	12.44
Falls	12.90	12.26	16.42	16.66	14.79
Behavioral Symptoms Affecting Others	17.96	17.63	19.40	19.82	20.12
Symptoms of Depression	7.21	6.40	9.97	12.49	13.50
Bladder/Bowel Incontinence	65.01	65.21	62.58	66.43	60.78
Fecal Impaction	0.18	0.17	0.30	0.20	0.04
Urinary Tract Infections	8.88	8.65	9.84	10.38	10.14
Weight Loss	14.85	14.72	15.82	15.00	16.12
Dehydration	0.66	0.60	0.97	1.03	0.70
Bedfast Residents	3.08	2.92	4.21	3.76	3.58
Little/No Activity	8.91	8.34	12.42	11.30	11.76
Stage 1-4 Pressure Ulcer	21.90	22.71	17.31	18.52	19.63

* All table entries after the first row are percentages. The second row provides row percentages. Other percentages are column percentages. For Quality Indicators, entries are the percent of residents with the problem in facilities within the specific geographic setting.

