



Ohio 2001

Resident Characteristics*	STATE	LOCALE			
		Urban	Large Town	Small Town	Isolated
Nursing Home Residents	95,994	68,954	16,461	7,962	2,617
Percent of Nursing Home Residents	100.00	71.83	17.15	8.29	2.73
Percent Female	72.40	72.97	71.59	70.80	67.42
Age: <25	0.15	0.15	0.12	0.16	0.31
Age: 25-54	4.53	4.46	4.43	4.36	7.53
Age: 55-64	5.16	5.06	5.15	5.45	6.95
Age: 65-74	12.01	12.08	11.68	11.79	13.14
Age: 75-84	32.81	33.06	32.79	31.46	30.65
Age: 85-94	37.35	37.24	37.45	38.57	35.69
Age: 95+	7.99	7.95	8.38	8.20	5.73
American Indian/Alaskan Native	0.09	0.09	0.13	0.06	0.04
Asian/Pacific Islander	0.19	0.22	0.13	0.04	0.11
Black	11.52	15.01	3.03	1.86	2.29
Hispanic	0.46	0.49	0.43	0.35	0.38
White	87.73	84.18	96.28	97.69	97.17
Lived Alone	27.60	27.34	29.64	27.85	23.36
Lived with Others	52.78	53.39	51.29	48.49	55.80
Lived in Other Facility	19.62	19.27	19.07	23.66	20.84
Admitted from Private Home with No Services	16.68	15.38	18.15	23.34	22.64
Admitted from Private Home with Services	4.94	4.73	5.89	4.93	4.85
Admitted from Assisted Living	6.50	6.35	8.01	5.35	5.12
Admitted from Other Nursing Home	17.13	17.28	15.92	17.90	17.97
Admitted from Acute Care Hospital	50.34	52.27	48.00	40.45	42.23
Admitted from Other Setting	4.41	3.99	4.02	8.04	7.19
CPS: Intact or Borderline Intact	18.28	17.74	20.07	18.65	20.18
CPS: Mild to Moderately Severely Impaired	59.49	59.46	59.24	60.00	60.53
CPS: Severely or Very Severely Impaired	22.23	22.80	20.69	21.35	19.30
ADL: Independent or Needs Supervision	9.98	9.63	10.52	11.37	11.65
ADL: Limited Physical Assistance	13.46	13.31	13.82	14.03	13.53
ADL: Extensive Assistance in Early Loss ADLs	21.58	21.58	20.39	23.51	23.12
ADL: Extensive Assistance in Later Loss ADLs	15.32	15.15	15.74	16.08	14.83
ADL: Totally Dependent in Some ADLs	23.38	23.47	24.58	20.72	21.63
ADL: Totally Dependent in All Four ADLs	16.27	16.86	14.95	14.29	15.25



Ohio 2001 (continued)

	STATE	LOCALE			
		Urban	Large Town	Small Town	Isolated
CHESS: No Instability	24.47	24.61	22.98	25.96	25.72
CHESS: Slightly Unstable	31.76	31.47	32.50	32.43	32.75
CHESS: Mildly Unstable	24.34	24.20	25.59	23.25	23.58
CHESS: Moderately Unstable	13.15	13.31	12.97	12.42	12.50
CHESS: Highly Unstable	6.27	6.41	5.95	5.94	5.46
Total Case-Mix Index (average)	1.05	1.06	1.01	0.97	1.01
Nursing Case-Mix Index (average)	0.91	0.91	0.90	0.87	0.88
Quality Indicators					
Depression without Therapy	13.14	12.75	13.44	15.43	14.66
9+ Different Medications	57.51	56.88	59.07	59.41	58.58
Bladder/Bowel Incontinence without Plan	43.44	44.68	42.09	38.29	37.89
Indwelling Catheters	10.93	11.36	10.30	8.96	9.51
Tube Feeding	9.16	10.40	5.70	5.76	8.56
Antipsychotic Use without Conditions	18.10	18.42	16.61	18.14	18.99
Antianxiety/Hypnotic Use	20.89	19.87	23.35	23.66	24.39
Daily Physical Restraint	11.11	11.59	9.74	10.41	9.29
Falls	18.07	18.18	17.58	19.07	15.21
Behavioral Symptoms Affecting Others	30.73	29.72	30.25	38.14	37.87
Symptoms of Depression	28.27	27.46	28.88	32.72	32.23
Bladder/Bowel Incontinence	57.65	58.86	54.08	55.93	54.19
Fecal Impaction	0.21	0.22	0.22	0.21	0.04
Urinary Tract Infections	13.05	13.55	11.89	11.66	11.43
Weight Loss	16.06	16.40	15.55	15.01	13.45
Dehydration	0.99	1.04	0.91	0.88	0.65
Bedfast Residents	6.84	6.89	7.09	6.10	6.34
Little/No Activity	17.04	17.26	17.00	15.46	16.31
Stage 1-4 Pressure Ulcer	15.12	16.21	13.34	10.76	11.04

* All table entries after the first row are percentages. The second row provides row percentages. Other percentages are column percentages. For Quality Indicators, entries are the percent of residents with the problem in facilities within the specific geographic setting.

