



Oklahoma 2001

Resident Characteristics*	STATE	LOCALE			
		Urban	Large Town	Small Town	Isolated
Nursing Home Residents	21,284	8,872	5,224	5,014	2,127
Percent of Nursing Home Residents	100.00	41.68	24.54	23.56	9.99
Percent Female	74.69	75.35	74.64	74.75	71.74
Age: <25	0.13	0.08	0.17	0.06	0.38
Age: 25-54	4.09	5.24	3.75	2.63	3.67
Age: 55-64	5.57	6.13	5.38	4.65	5.88
Age: 65-74	11.65	12.26	11.85	10.45	11.52
Age: 75-84	30.64	31.46	30.00	30.95	28.30
Age: 85-94	39.06	36.82	39.99	41.05	41.42
Age: 95+	8.86	8.00	8.86	10.21	8.84
American Indian/Alaskan Native	3.95	2.43	4.48	5.60	5.04
Asian/Pacific Islander	0.16	0.34	0.06	0.02	0.05
Black	6.51	9.25	6.24	3.93	1.88
Hispanic	0.61	0.74	0.67	0.38	0.42
White	88.77	87.23	88.55	90.07	92.61
Lived Alone	31.97	27.66	29.33	35.75	35.12
Lived with Others	50.37	51.01	53.61	48.32	49.07
Lived in Other Facility	17.66	21.34	17.06	15.93	15.81
Admitted from Private Home with No Services	28.78	24.49	27.19	31.13	33.31
Admitted from Private Home with Services	7.64	5.77	6.16	9.03	10.12
Admitted from Assisted Living	3.43	4.85	4.14	2.09	2.86
Admitted from Other Nursing Home	18.56	20.41	18.06	17.44	18.47
Admitted from Acute Care Hospital	33.20	34.23	36.80	32.72	27.13
Admitted from Other Setting	8.39	10.25	7.65	7.58	8.11
CPS: Intact or Borderline Intact	29.62	28.76	30.99	31.05	26.38
CPS: Mild to Moderately Severely Impaired	44.30	47.44	42.19	40.69	44.66
CPS: Severely or Very Severely Impaired	26.08	23.79	26.82	28.26	28.96
ADL: Independent or Needs Supervision	19.32	19.53	17.73	19.57	21.63
ADL: Limited Physical Assistance	18.00	16.83	18.36	19.33	18.99
ADL: Extensive Assistance in Early Loss ADLs	19.54	20.80	19.83	18.15	16.83
ADL: Extensive Assistance in Later Loss ADLs	9.13	9.22	9.36	8.60	9.59
ADL: Totally Dependent in Some ADLs	16.19	16.51	16.67	15.42	15.28
ADL: Totally Dependent in All Four ADLs	17.82	17.11	18.05	18.95	17.68



Oklahoma 2001 (continued)

	STATE	LOCALE			
		Urban	Large Town	Small Town	Isolated
CHESS: No Instability	42.20	41.88	42.36	44.22	38.55
CHESS: Slightly Unstable	28.20	27.65	28.68	28.28	29.10
CHESS: Mildly Unstable	16.57	16.76	17.11	15.28	17.25
CHESS: Moderately Unstable	7.98	7.90	7.91	7.92	8.74
CHESS: Highly Unstable	5.06	5.80	3.94	4.31	6.35
Total Case-Mix Index (average)	0.79	0.80	0.80	0.78	0.77
Nursing Case-Mix Index (average)	0.74	0.74	0.74	0.74	0.73
Quality Indicators					
Depression without Therapy	6.12	5.07	5.82	7.12	9.00
9+ Different Medications	46.98	46.87	46.99	47.57	45.98
Bladder/Bowel Incontinence without Plan	48.81	51.69	47.76	46.90	45.45
Indwelling Catheters	9.82	10.17	10.41	9.17	8.56
Tube Feeding	7.89	8.85	7.31	7.42	6.49
Antipsychotic Use without Conditions	20.57	21.57	20.13	18.94	21.53
Antianxiety/Hypnotic Use	20.75	23.15	18.92	19.03	19.64
Daily Physical Restraint	11.55	11.46	11.66	11.37	11.94
Falls	15.68	17.16	14.74	14.36	14.86
Behavioral Symptoms Affecting Others	19.36	18.45	18.83	19.68	24.06
Symptoms of Depression	12.18	11.02	11.15	13.35	16.82
Bladder/Bowel Incontinence	51.59	54.15	49.71	49.70	50.18
Fecal Impaction	0.63	0.51	0.57	0.78	0.99
Urinary Tract Infections	10.43	10.62	11.08	8.90	11.66
Weight Loss	14.55	14.35	15.22	13.80	15.28
Dehydration	1.42	1.38	1.11	1.66	1.88
Bedfast Residents	9.06	8.92	8.23	10.95	7.29
Little/No Activity	27.70	28.45	26.28	27.06	29.06
Stage 1-4 Pressure Ulcer	17.31	17.96	17.51	15.64	17.78

* All table entries after the first row are percentages. The second row provides row percentages. Other percentages are column percentages. For Quality Indicators, entries are the percent of residents with the problem in facilities within the specific geographic setting.

