



Oregon 2001

Resident Characteristics*	STATE	LOCALE			
		Urban	Large Town	Small Town	Isolated
Nursing Home Residents	8,808	5,830	2,126	675	177
Percent of Nursing Home Residents	100.00	66.19	24.14	7.66	2.01
Percent Female	69.24	70.75	64.25	70.81	73.45
Age: <25	1.19	1.63	0.33	0.44	0.00
Age: 25-54	4.23	4.67	3.34	4.00	1.69
Age: 55-64	4.50	4.58	4.28	4.30	5.08
Age: 65-74	10.80	11.42	11.24	6.22	2.26
Age: 75-84	33.03	31.97	36.12	34.22	25.99
Age: 85-94	37.62	37.22	36.50	41.48	49.72
Age: 95+	8.63	8.51	8.18	9.33	15.25
American Indian/Alaskan Native	0.43	0.29	0.61	0.89	1.13
Asian/Pacific Islander	0.74	0.96	0.33	0.30	0.00
Black	1.62	2.20	0.61	0.15	0.00
Hispanic	0.88	1.10	0.52	0.30	0.00
White	96.34	95.44	97.93	98.37	98.87
Lived Alone	15.30	14.68	15.99	18.68	9.09
Lived with Others	64.57	62.39	66.89	63.19	75.32
Lived in Other Facility	20.13	22.94	17.12	18.13	15.58
Admitted from Private Home with No Services	11.67	11.01	11.45	13.19	20.78
Admitted from Private Home with Services	3.80	3.25	3.29	8.24	7.79
Admitted from Assisted Living	13.21	13.93	10.77	18.13	18.18
Admitted from Other Nursing Home	14.27	16.85	11.79	9.34	14.29
Admitted from Acute Care Hospital	52.48	49.54	59.64	45.05	33.77
Admitted from Other Setting	4.57	5.42	3.06	6.04	5.19
CPS: Intact or Borderline Intact	17.35	17.32	17.07	18.37	17.51
CPS: Mild to Moderately Severely Impaired	59.18	58.92	60.40	58.37	56.50
CPS: Severely or Very Severely Impaired	23.47	23.76	22.53	23.26	25.99
ADL: Independent or Needs Supervision	10.14	10.74	8.51	9.48	12.43
ADL: Limited Physical Assistance	14.11	13.62	15.00	15.85	12.99
ADL: Extensive Assistance in Early Loss ADLs	23.57	23.64	23.14	23.85	25.42
ADL: Extensive Assistance in Later Loss ADLs	12.84	12.42	13.88	13.78	10.73
ADL: Totally Dependent in Some ADLs	22.48	22.45	22.86	22.96	16.95
ADL: Totally Dependent in All Four ADLs	16.86	17.14	16.60	14.07	21.47



Oregon 2001 (continued)

	STATE	LOCALE			
		Urban	Large Town	Small Town	Isolated
CHES: No Instability	33.06	34.27	30.43	30.96	32.77
CHES: Slightly Unstable	31.78	31.65	30.86	33.78	39.55
CHES: Mildly Unstable	19.56	18.94	21.54	19.56	16.38
CHES: Moderately Unstable	9.65	9.18	10.87	10.67	6.78
CHES: Highly Unstable	5.95	5.97	6.30	5.04	4.52
Total Case-Mix Index (average)	0.82	0.81	0.85	0.81	0.77
Nursing Case-Mix Index (average)	0.77	0.77	0.80	0.77	0.76
Quality Indicators					
Depression without Therapy	6.56	5.91	7.31	9.97	6.21
9+ Different Medications	48.09	47.77	50.52	42.81	49.72
Bladder/Bowel Incontinence without Plan	38.16	39.82	33.29	44.77	24.00
Indwelling Catheters	7.09	7.03	7.29	7.57	4.52
Tube Feeding	4.44	4.98	3.90	2.07	2.26
Antipsychotic Use without Conditions	17.76	16.97	21.22	14.68	14.63
Antianxiety/Hypnotic Use	13.12	12.94	13.74	13.06	12.20
Daily Physical Restraint	15.46	15.45	16.32	14.67	8.47
Falls	17.41	17.08	17.69	19.70	16.38
Behavioral Symptoms Affecting Others	20.14	18.94	23.15	20.06	23.73
Symptoms of Depression	17.83	17.01	19.09	21.88	14.12
Bladder/Bowel Incontinence	68.18	68.20	66.99	70.38	73.49
Fecal Impaction	0.14	0.17	0.05	0.00	0.56
Urinary Tract Infections	11.70	11.55	11.91	10.67	18.08
Weight Loss	17.10	17.46	16.61	16.29	14.20
Dehydration	1.08	1.11	0.75	1.93	0.56
Bedfast Residents	7.98	8.10	7.38	9.33	6.21
Little/No Activity	16.25	15.87	18.67	12.48	14.12
Stage 1-4 Pressure Ulcer	16.94	16.67	18.86	13.13	16.33

* All table entries after the first row are percentages. The second row provides row percentages. Other percentages are column percentages. For Quality Indicators, entries are the percent of residents with the problem in facilities within the specific geographic setting.

