



# South Carolina 2001

Resident Characteristics*	STATE	LOCALE			
		Urban	Large Town	Small Town	Isolated
Nursing Home Residents	17,190	10,754	2,384	3,030	1,022
Percent of Nursing Home Residents	100.00	62.56	13.87	17.63	5.95
Percent Female	73.60	72.74	78.06	72.90	74.27
Age: <25	0.10	0.13	0.08	0.03	0.00
Age: 25-54	3.30	3.60	1.43	3.76	3.23
Age: 55-64	4.93	5.10	3.52	5.18	5.77
Age: 65-74	12.68	13.59	10.23	11.68	11.74
Age: 75-84	34.40	34.97	34.98	31.75	34.93
Age: 85-94	37.25	36.02	40.90	39.27	35.62
Age: 95+	7.33	6.58	8.85	8.32	8.71
American Indian/Alaskan Native	0.14	0.08	0.00	0.40	0.29
Asian/Pacific Islander	0.08	0.08	0.00	0.10	0.10
Black	29.87	26.85	26.01	40.97	37.77
Hispanic	0.11	0.14	0.04	0.10	0.00
White	69.80	72.85	73.95	58.44	61.84
Lived Alone	19.34	18.62	25.17	16.15	11.17
Lived with Others	67.20	69.62	62.20	62.89	82.98
Lived in Other Facility	13.46	11.76	12.63	20.96	5.85
Admitted from Private Home with No Services	11.36	10.48	11.85	12.64	15.43
Admitted from Private Home with Services	3.71	3.34	3.56	4.81	4.79
Admitted from Assisted Living	7.61	8.55	6.94	5.82	6.38
Admitted from Other Nursing Home	9.51	8.01	7.62	16.65	7.45
Admitted from Acute Care Hospital	61.91	61.77	67.06	55.47	65.96
Admitted from Other Setting	5.89	7.85	2.96	4.61	0.00
CPS: Intact or Borderline Intact	17.77	16.94	19.76	18.81	18.69
CPS: Mild to Moderately Severely Impaired	50.13	49.93	53.65	47.26	52.54
CPS: Severely or Very Severely Impaired	32.10	33.12	26.59	33.93	28.77
ADL: Independent or Needs Supervision	5.74	6.27	6.84	3.66	3.82
ADL: Limited Physical Assistance	10.99	11.50	10.61	10.33	8.41
ADL: Extensive Assistance in Early Loss ADLs	23.25	24.57	21.73	19.64	23.58
ADL: Extensive Assistance in Later Loss ADLs	9.92	10.02	10.36	9.31	9.59
ADL: Totally Dependent in Some ADLs	23.37	22.80	23.99	25.02	23.09
ADL: Totally Dependent in All Four ADLs	26.73	24.84	26.47	32.05	31.51



## South Carolina 2001 (continued)

	STATE	LOCALE			
		Urban	Large Town	Small Town	Isolated
CHESS: No Instability	36.85	36.75	31.71	41.19	36.99
CHESS: Slightly Unstable	30.80	30.31	33.14	30.63	30.92
CHESS: Mildly Unstable	18.29	18.23	20.01	17.13	18.40
CHESS: Moderately Unstable	9.39	9.89	9.35	7.23	10.67
CHESS: Highly Unstable	4.67	4.82	5.79	3.83	3.03
Total Case-Mix Index (average)	0.91	0.92	0.89	0.89	0.90
Nursing Case-Mix Index (average)	0.84	0.84	0.83	0.85	0.87
<b>Quality Indicators</b>					
Depression without Therapy	5.30	5.59	4.84	5.07	4.11
9+ Different Medications	39.98	39.01	45.39	38.28	42.56
Bladder/Bowel Incontinence without Plan	61.26	61.75	75.74	50.10	47.18
Indwelling Catheters	7.61	7.47	6.75	9.08	6.75
Tube Feeding	11.98	11.60	9.35	14.95	13.31
Antipsychotic Use without Conditions	17.00	17.90	17.59	14.52	13.68
Antianxiety/Hypnotic Use	17.47	17.09	19.85	16.30	19.34
Daily Physical Restraint	11.36	11.75	11.58	9.64	11.84
Falls	14.91	15.92	16.32	11.02	12.43
Behavioral Symptoms Affecting Others	21.80	22.86	16.92	22.06	21.23
Symptoms of Depression	11.37	12.32	10.48	9.59	8.71
Bladder/Bowel Incontinence	71.73	71.60	68.91	74.66	71.16
Fecal Impaction	1.00	1.03	1.22	0.86	0.59
Urinary Tract Infections	11.91	12.00	10.36	12.51	12.82
Weight Loss	19.76	20.28	20.57	16.56	21.82
Dehydration	1.70	1.81	1.59	1.39	1.76
Bedfast Residents	11.72	11.34	14.85	10.33	12.52
Little/No Activity	14.58	13.09	17.30	17.78	14.48
Stage 1-4 Pressure Ulcer	18.55	17.91	16.50	23.92	17.74

\* All table entries after the first row are percentages. The second row provides row percentages. Other percentages are column percentages. For Quality Indicators, entries are the percent of residents with the problem in facilities within the specific geographic setting.

