



South Dakota 2001

Resident Characteristics*	STATE	LOCALE			
		Urban	Large Town	Small Town	Isolated
Nursing Home Residents	10,373	2,201	2,761	1,364	4,047
Percent of Nursing Home Residents	100.00	21.22	26.62	13.15	39.01
Percent Female	70.43	72.10	71.50	69.94	68.96
Age: <25	0.09	0.27	0.07	0.07	0.00
Age: 25-54	2.17	3.73	1.74	2.49	1.51
Age: 55-64	2.97	3.86	2.75	2.86	2.67
Age: 65-74	9.34	10.77	8.62	7.92	9.54
Age: 75-84	29.09	29.44	29.48	31.16	27.92
Age: 85-94	43.63	42.34	44.91	43.26	43.59
Age: 95+	12.72	9.59	12.42	12.24	14.78
American Indian/Alaskan Native	3.15	3.13	0.87	4.55	4.25
Asian/Pacific Islander	0.08	0.14	0.11	0.00	0.05
Black	0.11	0.41	0.00	0.07	0.02
Hispanic	0.12	0.27	0.00	0.29	0.05
White	96.55	96.05	99.02	95.09	95.63
Lived Alone	34.91	27.59	43.55	13.33	28.54
Lived with Others	38.90	62.07	30.81	60.00	32.55
Lived in Other Facility	26.20	10.34	25.65	26.67	38.92
Admitted from Private Home with No Services	12.41	10.03	12.42	6.67	14.39
Admitted from Private Home with Services	5.52	5.33	5.97	0.00	5.19
Admitted from Assisted Living	7.18	7.52	7.58	6.67	6.37
Admitted from Other Nursing Home	13.64	14.11	11.45	0.00	16.98
Admitted from Acute Care Hospital	45.36	50.78	45.65	86.67	39.39
Admitted from Other Setting	15.89	12.23	16.94	0.00	17.69
CPS: Intact or Borderline Intact	25.72	22.31	27.89	23.90	26.71
CPS: Mild to Moderately Severely Impaired	55.51	56.47	56.97	53.37	54.71
CPS: Severely or Very Severely Impaired	18.77	21.22	15.14	22.73	18.58
ADL: Independent or Needs Supervision	16.05	13.99	15.61	13.05	18.48
ADL: Limited Physical Assistance	13.62	12.36	13.69	10.34	15.37
ADL: Extensive Assistance in Early Loss ADLs	20.84	19.08	20.17	23.31	21.42
ADL: Extensive Assistance in Later Loss ADLs	18.88	18.40	20.79	22.36	16.65
ADL: Totally Dependent in Some ADLs	20.53	25.53	20.17	21.48	17.74
ADL: Totally Dependent in All Four ADLs	10.07	10.63	9.56	9.46	10.33



South Dakota 2001 (continued)

	STATE	LOCALE			
		Urban	Large Town	Small Town	Isolated
CHESS: No Instability	22.84	22.58	23.83	21.63	22.71
CHESS: Slightly Unstable	31.58	30.76	30.06	28.67	34.05
CHESS: Mildly Unstable	26.14	25.53	26.62	30.21	24.76
CHESS: Moderately Unstable	13.44	14.40	12.82	15.40	12.68
CHESS: Highly Unstable	6.01	6.72	6.66	4.11	5.81
Total Case-Mix Index (average)	0.92	0.97	0.95	0.91	0.88
Nursing Case-Mix Index (average)	0.85	0.87	0.88	0.85	0.83
Quality Indicators					
Depression without Therapy	12.37	10.44	9.14	20.84	12.78
9+ Different Medications	55.17	59.00	57.84	49.63	53.13
Bladder/Bowel Incontinence without Plan	36.20	31.21	36.15	45.93	35.68
Indwelling Catheters	10.55	14.36	11.92	9.75	7.81
Tube Feeding	2.93	4.77	3.15	2.71	1.85
Antipsychotic Use without Conditions	15.13	15.62	16.38	13.96	14.40
Antianxiety/Hypnotic Use	17.43	21.82	18.84	16.48	14.37
Daily Physical Restraint	7.85	5.63	7.39	9.90	8.67
Falls	25.55	25.58	26.19	27.35	24.49
Behavioral Symptoms Affecting Others	24.91	22.32	22.04	26.80	27.64
Symptoms of Depression	23.46	21.87	17.95	35.64	24.00
Bladder/Bowel Incontinence	52.92	56.33	49.41	54.93	52.81
Fecal Impaction	0.12	0.09	0.04	0.00	0.22
Urinary Tract Infections	11.23	12.45	10.36	11.22	11.17
Weight Loss	15.73	15.24	17.79	19.08	13.47
Dehydration	1.52	1.23	1.38	1.69	1.73
Bedfast Residents	3.76	4.82	4.06	4.18	2.84
Little/No Activity	18.40	18.37	18.42	15.17	19.48
Stage 1-4 Pressure Ulcer	12.35	13.36	14.03	15.23	9.82

** All table entries after the first row are percentages. The second row provides row percentages. Other percentages are column percentages. For Quality Indicators, entries are the percent of residents with the problem in facilities within the specific geographic setting.*

