



# Wyoming 2001

Resident Characteristics*	STATE	LOCALE			
		Urban	Large Town	Small Town	Isolated
Nursing Home Residents	3,341	1,135	759	1,015	432
Percent of Nursing Home Residents	100.00	33.97	22.72	30.38	12.93
Percent Female	70.94	70.48	71.41	72.12	68.52
Age: <25	0.12	0.09	0.00	0.00	0.69
Age: 25-54	2.30	2.73	1.19	1.77	4.40
Age: 55-64	4.28	4.05	5.40	2.96	6.02
Age: 65-74	10.60	11.63	11.99	8.47	10.42
Age: 75-84	32.18	33.57	31.09	32.61	29.40
Age: 85-94	41.28	40.26	41.50	41.87	42.13
Age: 95+	9.25	7.67	8.83	12.32	6.94
American Indian/Alaskan Native	1.44	0.62	0.26	1.08	6.48
Asian/Pacific Islander	0.18	0.09	0.53	0.00	0.23
Black	0.66	1.76	0.26	0.00	0.00
Hispanic	2.51	3.26	1.45	2.76	1.85
White	95.21	94.27	97.50	96.15	91.44
Lived Alone	33.03	31.58	40.22	29.55	22.73
Lived with Others	55.17	62.20	37.43	65.91	66.67
Lived in Other Facility	11.81	6.22	22.35	4.55	10.61
Admitted from Private Home with No Services	14.92	13.88	13.41	23.60	10.61
Admitted from Private Home with Services	8.10	5.74	10.06	5.62	13.64
Admitted from Assisted Living	5.52	4.31	6.15	4.49	9.09
Admitted from Other Nursing Home	12.15	15.31	8.94	12.36	10.61
Admitted from Acute Care Hospital	51.38	51.67	58.66	48.31	34.85
Admitted from Other Setting	7.92	9.09	2.79	5.62	21.21
CPS: Intact or Borderline Intact	25.56	23.88	26.09	24.73	31.02
CPS: Mild to Moderately Severely Impaired	55.88	57.62	55.20	55.57	53.24
CPS: Severely or Very Severely Impaired	18.56	18.50	18.71	19.70	15.74
ADL: Independent or Needs Supervision	19.04	16.92	19.37	18.92	24.31
ADL: Limited Physical Assistance	16.25	18.41	17.13	13.69	15.05
ADL: Extensive Assistance in Early Loss ADLs	19.87	17.71	20.95	21.77	19.21
ADL: Extensive Assistance in Later Loss ADLs	15.80	13.57	15.81	19.41	13.19
ADL: Totally Dependent in Some ADLs	20.50	24.85	20.03	17.73	16.44
ADL: Totally Dependent in All Four ADLs	8.53	8.55	6.72	8.47	11.81



## Wyoming 2001 (continued)

	STATE	LOCALE			
		Urban	Large Town	Small Town	Isolated
CHESS: No Instability	20.65	15.42	21.48	20.79	32.64
CHESS: Slightly Unstable	29.57	25.81	30.83	33.50	28.01
CHESS: Mildly Unstable	26.67	31.89	23.06	24.04	25.46
CHESS: Moderately Unstable	16.61	19.91	17.92	15.57	8.10
CHESS: Highly Unstable	6.50	6.96	6.72	6.11	5.79
Total Case-Mix Index (average)	0.93	1.10	0.90	0.80	0.80
Nursing Case-Mix Index (average)	0.81	0.89	0.81	0.75	0.74
<b>Quality Indicators</b>					
Depression without Therapy	11.56	12.27	13.85	10.94	7.18
9+ Different Medications	50.49	55.42	46.25	48.87	48.84
Bladder/Bowel Incontinence without Plan	29.32	21.37	34.02	35.78	21.47
Indwelling Catheters	11.55	15.15	12.78	7.78	8.80
Tube Feeding	1.89	3.08	0.92	1.28	1.85
Antipsychotic Use without Conditions	15.27	12.26	16.26	16.81	18.11
Antianxiety/Hypnotic Use	15.96	15.66	16.26	17.65	11.89
Daily Physical Restraint	10.45	9.69	9.88	11.03	12.04
Falls	25.78	31.01	24.90	23.77	18.29
Behavioral Symptoms Affecting Others	26.30	20.39	29.02	32.91	21.53
Symptoms of Depression	22.26	22.77	23.75	23.74	14.81
Bladder/Bowel Incontinence	46.79	44.06	49.54	49.57	42.20
Fecal Impaction	0.33	0.18	0.40	0.39	0.46
Urinary Tract Infections	12.30	17.18	10.67	8.37	11.57
Weight Loss	19.07	26.87	17.28	12.61	16.90
Dehydration	1.47	2.47	1.58	0.30	1.39
Bedfast Residents	3.41	4.05	3.56	1.97	4.86
Little/No Activity	20.85	27.54	16.12	20.06	13.43
Stage 1-4 Pressure Ulcer	16.29	18.91	16.67	15.17	10.64

\* All table entries after the first row are percentages. The second row provides row percentages. Other percentages are column percentages. For Quality Indicators, entries are the percent of residents with the problem in facilities within the specific geographic setting.

